





Mechanical Splice Wire Rope Slings

HALO



Rope Diameter	Straight Pull	Choker Hitch	Basket Hitch	Eye Dimension	
				A	B
1/4"	0.65	0.48	1.3	4"	8"
5/16"	1	0.74	2	4"	8"
3/8"	1.4	1.1	2.9	4"	8"
7/16"	1.9	1.4	3.9	4"	8"
1/2"	2.5	1.9	5.1	4"	8"
9/16"	3.2	2.4	6.4	4"	8"
5/8"	3.9	2.9	7.8	5"	10"
3/4"	5.6	4.1	11	6"	12"
7/8"	7.6	5.6	15	7"	14"
1"	9.8	7.2	20	8"	16"
1-1/8"	12	9.1	24	9"	18"
1-1/4"	15	11	30	10"	20"
1-3/8"	18	13	36	11"	22"
1-1/2"	21	16	42	12"	24"
1-5/8"	24	18	49	13"	26"
1 3/4"	28	21	57	14"	28"
2"	37	28	73	16"	32"
2-1/4"	44	35	89	18"	36"
2-1/2"	54	42	109	20"	40"
2-3/4"	65	51	130	22"	44"
3"	77	60	153	24"	48"
3-1/4"	89	69	177	26"	52"
3-1/2"	102	79	203	26"	56"
3-3/4"	115	86	230	30"	60"
4"	130	97	260	32"	64"

Rope Diameter	DOUBLE LEG			4 LEG		
	60°	45°	30°	60°	45°	30°
1/4"	1.1	0.91	0.65	2.2	1.8	1.3
5/16"	1.7	1.4	1	3.5	2.8	2
3/8"	2.5	1.4	1	5	4.1	2.9
7/16"	3.4	2.7	1.9	6.7	5.5	3.9
1/2"	4.4	3.6	2.5	8.8	7.1	5.1
9/16"	5.5	4.5	3.2	11	9	6.4
5/8"	6.8	5.5	3.9	14	11	7.8
3/4"	9.7	7.9	5.6	19	16	11
7/8"	13	11	7.6	26	21	15
1"	17	14	9.8	34	28	20
1-1/8"	21	17	12	42	34	24
1-1/4"	26	21	15	51	42	30
1-3/8"	31	25	18	62	50	36
1-1/2"	37	30	21	73	60	42
1-5/8"	42	35	24			
1-3/4"	49	40	28			
1-7/8"	56	46	32			
2"	63	52	37			

Rated Capacities in Tons


Larger Sizes Available, Call for Specs



Alloy Chain Slings

HALO

Working Load Limits in Pounds




Chain Size		Single	Double				Triple and Quad		
in.	mm	90°	60°	45°	30°	60°	45°	30°	
7/32"	5.5	2,100	3,600	3,000	2,100	5,450	4,450	3,150	
9/32"	7	3,500	6,100	4,900	3,500	9,100	7,400	5,200	
5/16"	8	4,500	7,800	6,300	4,500	11,700	9,450	6,750	
3/8"	10	7,100	12,300	10,000	7,100	18,400	15,100	10,600	
1/2"	13	12,000	20,800	17,000	12,000	31,200	25,500	18,000	
5/8"	16	18,100	31,300	25,600	18,100	47,000	38,400	27,100	
3/4"	20	28,300	49,000	40,000	28,300	73,500	60,000	42,400	
7/8"	22	34,200	59,200	48,400	34,200	88,900	72,500	51,300	
1	26	47,700	82,600	67,400	47,700	123,900	101,200	71,500	
1 1/4"	32	72,300	125,200	102,200	72,300	187,800	153,400	108,400	





HALO

Synthetic Slings



Ply	Width	Vertical	Choker	Vertical Basket
1	1	1,600	1,280	3,200
1	2	3,100	2,480	6,200
1	3	4,700	3,760	9,400
1	4	6,200	4,960	12,400
1	6	9,300	7,440	18,600
1	8	12,800	10,240	25,600
1	10	16,000	12,800	32,000
1	12	19,200	15,360	38,400
2	1	3,100	2,480	6,200
2	2	6,200	4,960	12,400
2	3	8,800	7,040	17,600
2	4	11,000	8,800	22,000
2	6	16,500	13,200	33,000
2	8	20,480	16,384	40,960
2	10	24,000	19,200	48,000
2	12	26,880	21,504	53,760
3	1	4,800	3,840	9,600
3	2	8,880	7,104	17,760
3	3	13,320	10,656	26,640
3	4	17,280	13,824	34,560
3	6	24,480	19,584	48,960
3	8	30,720	24,576	61,440
3	10	36,000	28,800	72,000
3	12	40,320	32,256	80,640
4	1	6,400	5,120	12,800
4	2	11,840	9,472	23,680
4	3	17,760	14,208	35,520
4	4	23,040	18,432	46,080
4	6	32,640	26,112	65,280
4	8	40,960	32,768	81,920
4	10	48,000	38,400	96,000
4	12	53,760	43,008	107,520


Rated Capacities in Pounds





Round Slings

HALO



Code	Color	Vertical	Choker	Basket	Min. Length
SWG30	Purple	2650	2120	5300	3 ft.
SWG60	Green	5300	4240	10600	3 ft.
SWG90	Yellow	8400	6720	16800	3 ft.
SWG120	Tan	10600	8500	21200	3 ft.
SWG150	Red	13200	10560	26400	3 ft.
SWG180	Orange	16800	13440	33600	3 ft.
SWG240	Blue	21200	17000	42400	3 ft.
SWG300	Orange	25000	20000	50000	3 ft.
SWG360	Gray	31700	25300	63400	3 ft.
SWG500	Orange	40000	32000	80000	3 ft.
SWG600	Brown	52900	42300	105800	6 ft.
SWG800	Olive	66100	52880	132200	6 ft.
SWG1000	Black	90000	72000	180000	6 ft.

